·			
Notice of Allowability	Application No.	Applicant(s)	
	10/768,179	EPPES, DAVID H.	
	Examiner	Art Unit	
	David Nhu	2818	,
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in) or other appropriate commun RIGHTS. This application is su	this application. If not include nication will be mailed in due o	d course. THIS
1. This communication is responsive to 2/2/06.			
2. The allowed claim(s) is/are 9,11-16 and 18-20.	•		
3. ☐ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the:		r (f).	
 Certified copies of the priority documents have been received. 			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
• •			
•			
Attachment(s)			
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Inf	formal Patent Application (PTC)-152) ·
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ımmary (PTO-413),	
	Paper No./I	Mail Date Amendment/Comment	
3. Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date	•		·
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allo	wance -
	9. 🔲 Other	<u>-</u> ·	
	Z	and I	
	- .		

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the change and/or additions be unaceptable to applicant, an amendment may be filed as provided by 37 CFR
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in an interview with Attorney, John Hankins on 4/5/06

The application has been amended as follows:

Cancel claim 10, and cancel claims 1-8.

Claim 9 is amended: A semiconductor device comprising: a main die area containing functional circuitry; a scribe line monitor area circumferentially surrounding the main die area; and stress relief elements in the scribe line monitor area, wherein the stress relief elements include dummy vias in the scribe line monitor area.

Claim 11, "the semiconductor device of the claim 10..." should be -the semiconductor device of the claim 9...--

REASONS FOR ALLOWANCE

- 3. Claims 9, 11-16, 18-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: None of the references of record teaches or suggests as cited in claims 9, 16, 19: stress relief elements in the scribe line monitor area, wherein the stress relief elements include dummy vias in the scribe line monitor area (as cited in claims 9); a surrounding area circumferentially surrounding the main die area; and crack stop elements in the surrounding area, wherein the crack stop elements

include dummy vias and the surrounding area is a scribe line monitor area that includes a first metal layer, a dielectric area on the dielectric layer, and a second metal layer on the dielectric layer, each of the first and second metal layers including non-functional metal tiles, and at least some of the dummy vias being connected between the metal tiles of the first and second metal layers (as cited in claims 16, 19);

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

CONCLUSION

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Adkisson et al (6,653,710 B2): Fuse Structure with Thermal and Crack Stop Protection.

6. Any inquiry concerning this communication on earlier communications from the examiner should be directed to David Nhu, (571)272-1792. The examiner can normally be reached on Monday-Friday from 7:30 AM to 5:00 PM.

The examiner's supervisor, David Nelms can be reached on (571)272-1787.

The fax phone number for the organization where this application or proceeding is assigned is (703)872-9306.

Application/Control Number: 10/768,179

Art Unit: 2818

Page 4

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

David Nhu

bul

April 5, 2006

DAVID NHU RIMARY FY